

Automata on Infinite Trees

Infinite Binary Trees

We consider the *infinite complete binary tree* $t : \{0, 1\}^* \rightarrow \Sigma$ over an unranked alphabet $\Sigma = \{a, b, c, \dots\}$.

Let $t : D \rightarrow \Sigma$, $D \subseteq \mathbb{N}^*$ be a k -ary tree.

We encode t as an infinite binary tree $T : \{0, 1\}^* \rightarrow \Sigma_{\perp}$, where:

- for all positions $n_1 n_2 \dots n_p \in D$, $n_i < k$, we have

$$T(1^{n_1} 0 1^{n_2} 0 \dots 1^{n_p}) = t(n_1 n_2 \dots n_p)$$

- $T(x) = \perp$ if $x \notin \{1^{n_1} 0 1^{n_2} 0 \dots 1^{n_p} \mid n_1 n_2 \dots n_p \in D\}$.

Büchi Automata on Infinite Trees

Definition

A Büchi tree automaton over Σ is $A = \langle S, I, T, F \rangle$, where:

- S is a finite set of *states*,
- $I \subseteq S$ is a set of *initial states*,
- $T : S \times \Sigma \rightarrow 2^{S \times S}$ is the *transition function*,
- $F \subseteq S$ is the set of *final states*.

Runs

A *run* of A over a tree $t : \{0, 1\}^* \rightarrow \Sigma$ is a mapping $\pi : \{0, 1\}^* \rightarrow S$ such that, for each position $p \in \{0, 1\}^*$, where $q = \pi(p)$, we have:

- if $p = \epsilon$ then $q \in I$, and
- if $q_i = \pi(pi)$, $i = 0, 1$ then $\langle q_0, q_1 \rangle \in T(q, t(p))$.

If π is a run of A and σ is a path in t , let $\pi|_\sigma$ denote the path in π corresponding to σ .

A run π is said to be *accepting*, if and only if for every path σ in t we have:

$$\text{inf}(\pi|_\sigma) \cap F \neq \emptyset$$

Closure Properties

For every Büchi automaton A there exists a complete Büchi automaton A' such that $\mathcal{L}(A) = \mathcal{L}(A')$.

Theorem 1 *The class of Büchi-recognizable tree languages is closed under union, intersection and projection.*

Let $A_i = \langle S_i, I_i, T_i, F_i \rangle$, $i = 1, 2$, where $S_1 \cap S_2 = \emptyset$.

Let $A_{\cup} = \langle S_1 \cup S_2, I_1 \cup I_2, T_1 \cup T_2, F_1 \cup F_2 \rangle$.

Closure Properties

Let $A_{\cap} = \langle S, I, T, F \rangle$ where:

- $S = S_1 \times S_2 \times \{0, 1, 2\}$
- $I = I_1 \times I_2 \times \{1\}$
- for any $s, s_1, s_2 \in S_1, s', s'_1, s'_2 \in S_2, a, b \in \{0, 1, 2\}$:

$$\langle (s_1, s'_1, b), (s_2, s'_2, b) \rangle \in T((s, s', a), \sigma)$$

iff $\langle s_1, s_2 \rangle \in T(s, \sigma), \langle s'_1, s'_2 \rangle \in T(s', \sigma)$ and:

1. if $a = 0$ or ($a = 1$ and $s \notin F_1$), then $b = 1$
 2. if ($a = 1$ and $s \in F_1$) or ($a = 2$ and $s \notin F_1$), then $b = 2$
 3. if $a = 2$ and $s \in F_2$, then $b = 0$
- $F = S \times S \times \{0\}$

Emptiness of Büchi Automata

Let $A = \langle S, I, T, F \rangle$ be a Büchi tree automaton where $F = \{s_1, \dots, s_m\}$, and $\pi : \{0, 1\}^* \rightarrow S$ be a successful run of A on the tree $t \in \mathcal{T}(\Sigma)$.

For any $s \in S$, and any $u \in \{0, 1\}^*$, let

$$d_u^\pi = \{w \in u \cdot \{0, 1\}^* \mid \pi(v) \notin F, \text{ for all } u < v < w\}$$

By König's lemma, d_u^π is finite for any $u \in \{0, 1\}^*$.

If $\pi(u) = s$, let t_s^π be the restriction of t to d_u^π . Let

$$T_s = \{t_s^\pi \mid \pi \text{ is a successful run of } A \text{ on } t\}$$

Emptiness of Büchi Automata

If $\mathbf{s} = \langle s_1, \dots, s_m \rangle$:

$$\mathcal{L}(A) = \bigcup_{s_0 \in I} T_{s_0} \cdot_{\mathbf{s}} \langle T_{s_1}, \dots, T_{s_m} \rangle^{\omega \mathbf{s}}$$

Conversely, expression above denotes a Büchi-recognizable tree language.

Let $A = \langle S, I, T, F \rangle$ be a Büchi tree automaton. For each $s \in S$ let T_s be the rational tree language defined above. Eliminate from S (and T) all states s such that $T_s = \emptyset$, and let S' be the resulting set of states.

We claim that $\mathcal{L}(A) \neq \emptyset \iff S' \cap I \neq \emptyset$.

The Complement Problem

Let $\Sigma = \{a, b\}$, $T_0 = \{t \in \mathcal{T}^\omega(\Sigma) \mid \text{some path in } t \text{ has infinitely many } a\text{'s}\}$

T_0 is Büchi recognizable.

Let $T_1 = \mathcal{T}^\omega(\Sigma) \setminus T_0 = \{t \in \mathcal{T}^\omega(\Sigma) \mid \text{all paths in } t \text{ have finitely many } a\text{'s}\}$

Assume $A = \langle S, I, T, F \rangle$ such that $\|S\| = n - 1$, and $\mathcal{L}(A) = T_1$.

Let $t_n : \{0, 1\}^* \rightarrow \Sigma$ be $t_n(p) = a$ if

$$p \in \{\epsilon, 1^{m_1}0, 1^{m_1}01^{m_2}0, \dots, 1^{m_1}01^{m_2}0 \dots 1^{m_n}0\}$$

for some $m_1, \dots, m_n \in \mathbb{N}$, and $t_n(p) = b$ otherwise. Obviously $t_n \in T_1$.

The Complement Problem

Let π be a successful run of A on t_n .

For each $n \geq 2$, there exists a path σ in t_n and $u < v < w < \sigma$, such that $\pi(u) = \pi(w) = s \in F$ and $t_n(v) = a$.

Then $\pi = r_1 \cdot_s r_2 \cdot_s r_3$, and $r_1 \cdot_s r_2^{\omega s}$ is a successful run on $q_1 \cdot q_2^\omega$, which contains a path with infinitely many a .

Müller Automata on Infinite Trees

Definition

A Müller tree automaton Σ is $A = \langle S, I, T, \mathcal{F} \rangle$, where:

- S is a finite set of *states*,
- $I \subseteq S$ is a set of *initial states*,
- $T : S \times \Sigma \rightarrow 2^{S \times S}$ is the *transition function*,
- $\mathcal{F} \subseteq 2^S$, is the set of *accepting sets*.

A run π of A over t is said to be *accepting*, iff for every path σ in t :

$$\text{inf}(\pi|_{\sigma}) \in \mathcal{F}$$

Closure Properties

The class of Müller-recognizable tree languages is closed under union and intersection.

For union, the proof is exactly as in the case of Büchi automata. For A_{\cup} , the set of accepting sets is the union of the sets \mathcal{F}_i , $i = 1, 2$.

For intersection, let $A_{\cap} = \langle S_1 \times S_2, I_1 \times I_2, T, \mathcal{F} \rangle$, where:

- $\langle (s_1, s'_1), (s_2, s'_2) \rangle \in T((s, s'), \sigma)$ iff $\langle s_1, s_2 \rangle \in T(s, \sigma)$ and $\langle s'_1, s'_2 \rangle \in T(s', \sigma)$, and
- $\mathcal{F} = \{G \in S_1 \times S_2 \mid pr_1(G) \in \mathcal{F}_1 \text{ and } pr_2(G) \in \mathcal{F}_2\}$, where:
 - $pr_1(G) = \{s \in S_1 \mid \exists s' . (s, s') \in G\}$, and
 - $pr_2(G) = \{s \in S_2 \mid \exists s' . (s', s) \in G\}$.

Rabin Automata on Infinite Trees

Definition

A Rabin tree automaton Σ is $A = \langle S, I, T, \Omega \rangle$, where:

- S is a finite set of *states*,
- $I \subseteq S$ is a set of *initial states*,
- $T : S \times \Sigma \rightarrow 2^{S \times S}$ is the *transition function*,
- $\Omega = \{ \langle L_1, U_1 \rangle, \dots, \langle L_n, U_n \rangle \}$ is the set of *accepting pairs*.

A run π of A over t is said to be *accepting*, if and only if for every path σ in t there exists a pair $\langle L_i, U_i \rangle \in \Omega$ such that:

$$\inf(\pi|_{\sigma}) \cap L_i = \emptyset \text{ and } \inf(\pi|_{\sigma}) \cap U_i \neq \emptyset$$

Büchi, Müller and Rabin

For every Büchi tree automaton A there exists a Rabin tree automaton B , such that $\mathcal{L}(A) = \mathcal{L}(B)$.

For every Müller tree automaton A there exists a Rabin tree automaton B , such that $\mathcal{L}(A) = \mathcal{L}(B)$.

The Rabin Complementation Theorem

Theorem 2 (Rabin '69) *The class of Rabin-recognizable tree languages is closed under complement.*

The class of Rabin-recognizable tree languages is closed under union and intersection.

Emptiness of Rabin Automata

For any Rabin tree automaton A , there exists a Rabin tree automaton A' with one initial state such that $\mathcal{L}(A) = \mathcal{L}(A')$.

Given an alphabet Σ , an infinite tree $t \in \mathcal{T}^\omega(\Sigma)$ is said to be *regular* if there are only finitely many distinct subtrees t_u of t , where $u \in \{0, 1\}^*$.

Theorem 3 (Rabin '72)

1. *Any non-empty Rabin-recognizable set of trees contains a regular tree.*
2. *The emptiness problem for Rabin tree automata is decidable.*

Reduction to empty alphabet

Let $A = \langle S, I, T, \Omega \rangle$ be a Rabin tree automaton over Σ , such that $\mathcal{L}(A) \neq \emptyset$, where $\Omega = \{\langle L_1, U_1 \rangle, \dots, \langle L_n, U_n \rangle\}$.

Let $A' = \langle S \times \Sigma, I \times \Sigma, T', \Omega' \rangle$, where:

- $\langle (s_1, \sigma_1), (s_2, \sigma_2) \rangle \in T'((s, \sigma))$ iff $\langle s_1, s_2 \rangle \in T(s, \sigma)$, and $\sigma_1, \sigma_2 \in \Sigma$.
- $\Omega' = \{\langle L_1 \times \Sigma, U_1 \times \Sigma \rangle, \dots, \langle L_n \times \Sigma, U_n \times \Sigma \rangle\}$.

The successful runs of A' are pairs (π, t) , where $t \in \mathcal{L}(A)$, and π is a successful run of A on t .

Regular successful runs

Consider a Rabin tree automaton $A = \langle S, s_0, T, \Omega \rangle$ over the empty alphabet, and let π be a successful run of A .

Claim 1 *If A has a successful run, A has also a regular successful run.*

A state $s \in S$ is said to be *live* if $s \neq s_0$ and $\langle s_1, s_2 \rangle \in T(s)$ for some $s_1, s_2 \in S$, where either $s_1 \neq s$ or $s_2 \neq s$.

By induction on $n =$ the number of live states in A .

Regular successful runs

If $n = 0$, $\pi(\epsilon) = s_0$ and $\pi(p) = s$, for all $p \in \text{dom}(\pi)$, and $s \in S$ non-live.

Case 1 If some live state in A is missing on π , apply the induction hypothesis.

Case 2 All states of A appear on π , and there is a position $u \in \{0, 1\}^*$ such that $\pi(u) = s$ is live, but some live state s' does not appear in π_u .

Let $\pi_1 = \pi \setminus \pi_u$ and $\pi_2 = \pi_u$. Both π_1 and π_2 are runs of automata with $n - 1$ live states, hence there exists successful regular runs π'_1 and π'_2 of these automata. The desired run is $\pi'_1 \cdot_s \pi'_2$.

Regular successful runs

Case 3 All live states appear in any subtree of π .

Let σ be a path in π in which **all live states appear again and again**. (why does σ exist?)

There exists $\langle L, U \rangle \in \Omega$, such that $\text{inf}(\sigma) \cap L = \emptyset$ and $\text{inf}(\sigma) \cap U \neq \emptyset$.

Then L contains *only* non-live states.

Let $s \in \text{inf}(\sigma) \cap U$ and u, v be the 1st and 2nd positions such that $\sigma(u) = \sigma(v) = s$.

Let $\pi_1 = \pi \setminus \pi_u$ and $\pi_2 = \pi_u \setminus \pi_v$. Both π_1 and π_2 are runs of automata with $n - 1$ live states, hence there exists successful regular runs π'_1 and π'_2 of these automata. The desired run is $\pi'_1 \cdot_s \pi'^{\omega s}_2$.

The Emptiness Problem

Let A be an input-free Rabin tree automaton with n live states.

We derive $A_{n-1}, A_{n-2}, \dots, A_0$ from A , having $n - 1, n - 2, \dots, 0$ live states.

If A has a successful run, then it has a regular run, composed of runs of $A_{n-1}, A_{n-2}, \dots, A_0$.

So it is enough to check emptiness of $A_{n-1}, A_{n-2}, \dots, A_0$.

Rabin Automata, SkS and $S\omega S$

From Automata to Formulae

Let $A = \langle S, I, T, \Omega \rangle$ be a Rabin tree automaton, where $S = \{s_1, \dots, s_p\}$.

Let $\mathbf{Y} = \{Y_1, \dots, Y_p\}$ be set variables.

If X denotes a path, state i appears infinitely often in X iff:

$$\text{inf}_i(X) : \forall x . X(x) \rightarrow \exists y . x \leq y \wedge X(y) \wedge Y_i(y)$$

The formula expressing the accepting condition is:

$$\Phi_\Omega(\mathbf{Y}) : \forall X . \text{path}(X) \rightarrow \bigvee_{\langle L, U \rangle \in \Omega} \left(\bigwedge_{s_i \in L} \neg \text{inf}_i(X) \wedge \bigvee_{s_i \in U} \text{inf}_i(X) \right)$$

Decidability of S2S

Theorem 4 *Given an alphabet Σ , a tree language $L \subseteq \mathcal{T}^\omega(\Sigma)$ is definable in S2S iff it is rational.*

Corollary 1 *The SAT problem for S2S is decidable.*

Obtaining Decidability Results by Reduction

Suppose we have a logic \mathcal{L} interpreted over the domain \mathcal{D} , such that the following problem is decidable:

for each formula φ of \mathcal{L} there exists $\mathfrak{m} \in \mathcal{D}$ such that $\mathfrak{m} \models \varphi$

Then we can prove the same thing for another logic \mathcal{L}' interpreted over \mathcal{D}' iff there exists functions $\delta : \mathcal{D}' \rightarrow \mathcal{D}$ and $\lambda : \mathcal{L}' \rightarrow \mathcal{L}$ such that for all $\mathfrak{m}' \in \mathcal{D}'$ and $\varphi' \in \mathcal{L}'$ we have:

$$\mathfrak{m}' \models \varphi' \iff \delta(\mathfrak{m}') \models \lambda(\varphi')$$

Decidability of $S_\omega S$

Every tree $t : \mathbb{N}^* \rightarrow \Sigma$ can be encoded as $t' : \{0, 1\}^* \rightarrow \Sigma$.

Let $D = \{\epsilon\} \cup \bigcup_{n_1, \dots, n_k \in \mathbb{N}} \{1^{n_1} 0 1^{n_2} 0 \dots 1^{n_k} 0 \mid k \geq 1, n_i \geq 1, 1 \leq i \leq k\}$.

$$\exists z \forall y . (z \leq y) \wedge x = z \vee \left(s_1(z) \leq x \wedge \exists y . y < x \wedge s_0(y) = x \wedge \forall y . (s_0(y) < x \rightarrow s_1(s_0(y)) < x) \right)$$

Decidability of $S_\omega S$

If $p = 1^{n_1}01^{n_2}0 \dots 1^{n_k}0$, let $f_i(p) = 1^{n_1}01^{n_2}0 \dots 1^{n_k}01^i0$

$$x \leq_1 y \quad : \quad D(x) \wedge D(y) \wedge x \leq y$$

$$x \preceq_1 y \quad : \quad D(x) \wedge D(y) \wedge x \preceq y$$

Define the relation $x \leq_D y$ iff $x \in D$ and $y = x1^n0$, for some $n \in \mathbb{N}$.

Define f_0, f_1, f_2, \dots by induction:

- $f_0(x) = y \quad : \quad D(x) \wedge D(y) \wedge x \leq_D y \wedge \forall z . x \leq_D z \rightarrow y \preceq_1 z$
- $f_{i+1}(x) = y \quad : \quad D(x) \wedge D(y) \wedge x \leq_D y \wedge \forall z . x \leq_D z \rightarrow y \preceq_1 z \wedge \bigwedge_{0 \leq k \leq i} y \neq f_k(x)$.